




2022

RESIDENTIAL SOLUTIONS JOURNAL





ENTRANCE SYSTEMS	BW-S21 BW-S20 BW-ES200 BWV-3 / BWV 4 BWV ATRIUM	9 11 13 14 17	BALUSTRADES 50	
DOOR CLOSERS 21	BWW-100 / BWW-250 BDD-1-775 BD BDD-2-760 BSQ BDD-21.550.BA	22 24 26	GLASS FITTINGS 61	BW Double-action BW ROUND BW BEY BW TP/TA BW BG BW EA BW NET Wall connecting profiles BW BR 22/28 BGF-DMUN BGL-DRON BGL-DGAL BGF-DRP
HINGES 30	BDH-2.05.064 BDH-2.05.063.B BGH-5.845E 10/20	31 33 35	ELECTRONIC CYLINDERS	BW - Mechatronic cylinder BW digital cylinder
LEVER HANDLES 37	BDL-1.00.310 BDL-1.00.177 BDL-1.00.412 BDL-1.00.418	38 39 40 41	PULL HANDLES 92	BDP-4.07.286.A BDP-4.07.205.A BDP-4.07.204.A BDP-4.07.201.V
Entrance Doors 42			MASTER KEY SYSTEMS	



169

171

173

174

208

WALLS & PARTITIONS

100

BW-DS SLIDING DOOR 102 **BW-DS POCKET SLIDING DOOR** 105 **BW-D1-80 HINGED DOOR** 107 **BW-DB HINGED DOOR** 109 **BW-D1S PIVOT DOOR** 110 **BW-DBS PIVOT DOOR** 112 **BW-MONOVOLUME DOOR** 115 **BW-MONOVOLUME SLIDING DOOR** 117 **BW-G20 GLASS PARTITION** 119 **M50 GLASS PARTITION** 120 **PIVOTING GLASS DOOR BW-SKD-75** 121 SLIDING GLASS DOOR BW-SWK75 125 **PIVOTING PANEL DOOR BW-SVD** 127 SLIDING PANEL DOOR BW-SWV 129 **BW TECHNICAL PANEL** 132 **BW FLEXIBLE WALL** 134 **BW FAÇADE** 135 DISCRETION 136 **AUTOMATIC MOVABLE PARTITION** 137 **BLBW ACOUSTIC** 139 **BW THERM** 141 **BW SAFE** 143

FIRE RATED DOORS

145

PANIC BARS

149

BDE-3.20.951.K1	150
BDE-3.20.952.K2	152
BDE-1.20.957	153
BDE-F1.20.945	155
BDE-1.20. 954.KIT	157
BDE-D2500	158

FIRE RATED DOORS

160

ACCESS CONTROL DEVICES

167

PHYSICAL ACCESS SOLUTIONS

175

BW-ONYX-S	176
BW-ONYX-M	177
BW-CENTURION-M	178
BW-CENTURION-M Twin	179
BW-BASTION - M	181
BW-SKULL - M	182

BW-OP-VID-PRO-RDR

BW-OP-VID-PRO-INT

BW-OP-R2-STND

BW-OP-R2-MULL

DIT OLIVIOR III	1,70
BW-CENTURION-M Twin	179
BW-BASTION - M	181
BW-SKULL – M	182
BW-GALAXY-M	184
BW-GATE-TS	185
BW-GATE-GS	187
BW-GATE-GS Slim	188
BW-SLIDE	189
BW-JETPAN	190
BW-Arg 40-60-80	192
BW-SWEEPER S	198
BW-SWEEPER-HG	199
BW-SPEEDBLADE	201
BW- SWEEPER-AL	202
BW-AB30	204
BW-AB50	205
BW-AB40	206

BOOM BARRIER





BLUE WEST is an exceptional German company, specialized in commercial security and access solutions. We develop, produce, assemble, and market a complete range of sophisticated top end products, oriented towards openings. We are committed to the highest standards of quality and reliability in offering architectural solutions.


We continuously developing our extensive product range and services in conjunction with our reputable international production partners to ensure our customers benefit from the very latest global innovations. Our main objective is offering the ideal entrance solutions or security for all market segments like residential, commercial and institutional complexes.

We additionally customize solutions for customer needs in addition to our standard range of products. Through our architectural consultancy and specification services we support our partners to receive the best applicable product with commercial value in mind.





ENTRANCE SYSTEMS









BW-S21

Highly efficient and attractively designed automatic sliding doors product line BWS for exterior and interior.

Door Functions

- The doors can be left completely open
- The doors can be left completely closed
- Cancellation of one of the inner or outer radars
- Keeping the door 70 % open (winter position)
- Position Switch (Manual / Auto, single / double, on / off, full / half opening)

Activators

- Remote control (Standard)
- Safety Sensor (Standard)
- Active or passive microwave sensors (Standard)
- Fingerprint control (optional)
- Coded keypad and proximity (optional)

Optional Requests

- All anodized colors
- · Stainless steel profiles and coating
- · Different optional glass and color alternatives

Door paran	neters	
Single- panel sliding door	Clear passage width LWDoor panel weight, max.	800 – 3000 mm 1 x 150 kg
Double- panel sliding door	Clear passage width LWDoor panel weight, max.	800 – 3000 mm 2 x 120 kg
Clear pass	age height*	2100 – 3200 mm

Technical data of operator	
Motor Type	Brushless Dc motor
Height	8 - 12 cm
Installation depth	15 cm
Opening speed (incremental setting)	15 - 65 cm / s (single wing) 15 - 55 cm / s (double wing)
Closing speed (incremental setting)	10 - 45 cm / s (single wing) 10 - 43 cm / s (double wing)
Supply voltage, frequency	AC 80 V - 250 V (50 / 60 Hz)
Power consumption	70W
Class of protection	IP 54
Compliant with EU - Low Voltage Directive and EMC Directive	YES
Manufactured to ISO 9001	YES
Reliable activation and protection in automatic doors, with EN 16005 standard	YES









BW-S20

Product line BWS and its modern drive integrate into every building and meet the needs of even the most demanding users. Stylish, efficient and easy to use.

Door Functions

- The doors can be left completely open
- The doors can be left completely closed
- Cancellation of one of the inner or outer radars
- Keeping the door 70 % open (winter position)
- Position Switch with Digital LCD Display (Manual / Auto, single / double, on / off, full / half opening)
- SHOWING ERROR CODES

Activators

- Remote control (Standard)
- Safety Sensor (Standard)
- · Active or passive microwave sensors (Standard)
- Fingerprint control (optional)
- Coded keypad and proximity (optional)

Optional Requests

- All anodized colors
- · Stainless steel profiles and coating
- Different optional glass and color alternatives

Door parar	meters	
Single- panel sliding door	Clear passage width LWDoor panel weight, max.	800 – 3000 mm 1 x 150 kg
Double- panel sliding door	Clear passage width LWDoor panel weight, max.	800 – 3000 mm 2 x 120 kg
Clear pass	age height*	2100 – 3200 mm

Technical data of operator	
Motor Type	German 63X55 Dunker Brushed DC Motor
Height	8 - 12 cm
Installation depth	15 cm
Opening speed (incremental setting)	3350 Rpm
Supply voltage, frequency	AC 230V (50Hz) ± 5%
Power consumption	100 W
Class of protection	IP 54
Admissible temperature	-15 ° C to + 50 ° C
Digital LCD Display for error codes	YES
Compliant with EU Low Voltage Directive and EMC Directive	YES
Manufactured to ISO 9001	YES
Reliable activation and protection in automatic doors, with EN 16005 standard	YES







BW-ES200

The new, innovative BWS-ES200 SLIDING DOOR OPERATOR system offers the perfect solution for all applications and service requirements.

Door Functions

- The doors can be left completely open
- · The doors can be left completely closed
- Cancellation of one of the inner or outer radars
- Keeping the door 70 % open (winter position)
- Position Switch with Digital LCD Display (Manual / Auto, single / double, on / off, full / half opening)
- SHOWING ERROR CODES

Activators

- Remote control (Standard)
- Safety Sensor (Standard)
- Active or passive microwave sensors (Standard)
- Fingerprint control (optional)
- Coded keypad and proximity (optional)

Optional Requests

- All anodized colors
- · Stainless steel profiles and coating
- Different optional glass and color alternatives

Door parameters		
Single- panel sliding door	Clear passage width LWDoor panel weight, max.	700 – 3000 mm 1 x 200 kg
Double- panel sliding door	Clear passage width LWDoor panel weight, max.	800 – 3000 mm 2 x 160 kg
Clear passa	ge height*	2100 – 3200 mm

Technical data of operator	
Height	100 and 150 mm
Installation depth	180 mm
Opening speed (incremental setting)	10 - 70 cm/s
Closing speed (incremental setting)	10 - 50 cm/s
Hold-open time	0 - 180 s
Supply voltage, frequency	230 V, 50/60 Hz
Power consumption	250 W
Class of protection	IP 20
Compliant with EU Low Voltage Directive and EMC Directive	YES
Manufactured to ISO 9001	YES
Environmental product declaration in accordance with ISO 14025	YES





BWV-3 / BWV 4

The BWV revolving door systems are perfectly suitable for installation in entrance areas where interior environment control coupled with elegant aesthetics are desired. The main entrance gives a clear statement of your company's image.


- · Three- or four-wing design
- Manual operation, positioning, Servomatic or automatic drive system
- Flexible options (night shields, air curtain, locks etc.)
- · Available with KT FLEX Direct drive system
- EN 16005 type approval and certification

Door parameters	
Internal diameter(ID):	2000-3800
Passage height (PH):	2100 – 4000
Canopy height:	100 – 1000
Total Height:	Clear passage height + canopy height

Traffic capacity	BWV3	BWV4
Internal diameter (D) (in mm)	Theoretical capacity person/Min <— —>	Theoretical capacity person/Min <— —>
2000	22	29
2,400	18	24
2,800	31	21
3400	38	34
3800	46	46











BWV ATRIUM

The BWV ATRIUM revolving door systems are ideal for installation in entrance areas where effective environment control and elegant aesthetics are desired.

Three- or four-wing design All-glass design Manual operation Positioning system (option) Servomatic drive system (option) Additional night shields (option)

Door parameters	
Internal diameter(ID):	2000-3800
Clear passage height	LH = 2,100 to max. 4,000 mm
Canopy height:	CH ≥ 100 to max. 1,000 mm

Traffic capacity	
Internal diameter (D) (in mm)	Maximum capacity persons/minute —>
	3 wings
2000	22
2200	20
2400	18
2600	34
2800	31
3000	29

Traffic capacity		
Internal diameter (D) (in mm)	Maximum capacity persons/minute —>	
	3 wings	
3200	41	
3400	38	
3600	36	
3800	46	







BWW-100 / BWW-250

The ED 100/250LE is an elegant electromechanical swing door operator ideal for room access and assistance on demand for various fields of application. The 'Wind Load Control' function is ideal for windy sites compensating for heavy wind loads. Suitable for emergency escape routes as well as use on fire and smoke check doors.

Benefits

- Flexible configuration: Customers only pay for the functions they actually require
- Inexpensive transportation and easy mounting thanks to the system's reduced weight
- Low-noise unit thanks to multi-stage gear
- Elegant visual appearance: BLUE WEST Contour design provides for an operator height of only 70 mm
- Various functions included as standard
- Field of application.
- For single- or double-leaf swing doors
- The pull version with slide channel and the push version with standard arm are both suitable for use on fire and smoke doors
- Thanks to its low- and full-energy versions, the system is suitable for automating both rarely and heavily frequented internal and external doors

 High torque for fully automatic swing doors with radar motion detector actuation

Features

Modular design and variable functional range Automatic operation with "Wind Load Control" Suitable for use on emergency escape and fire doors

Tested to 1,000,000 cycles

ED 100 - Door weights up to 160kg, door widths up to 1100mm

ED 250 - Door weights up to 400kg, door widths up to 1600mm

New: with integrated smoke detector For single- and double-leaf swing doors

Details

Module

Operator

A compact and powerful unit.

Choose one of the following operator systems according to your individual door-leaf parameters:

BRC-R receiver

weight of 100 kg.

BWW-100

EN 2-4 for door widths

The receiver can easily be integrated in the standard operator.

of 700 - 1.100 mm and a maximum door

BRC-H

hand-held transmitter Bi-directional system in new design.

ED 250

EN 4-6 for door widths of 700 - 1.600 mm and a maximum door weight of 250 kg

BRC-W wireless wall transmitter (pushbutton-type)

Extra slim design, suitable for surface mounting.

BRC-T transmitter

Easy installation in commercial pushbuttons

BRC radio system

Easily operable via pushbutton.






DOOR CLOSERS





CAM ACTION DOOR CLOSER: BDD-.21.813





Details	
Door closer type	Hydraulic overhead door closer
Arm type	Sliding Arm
Adjustable Power	2 - 4
Maximum door width	1100 mm
Maximum door weight	100 Kg
Power adjustment	by spring
Mechanism	CAM action


Details	
closing speed adjustable	by valve
Lathing speed adjustable	by valve
Opening angle	180°
Reversible door closer	YES
Certified Fire proof	YES
CE marking	YES





CAM ACTION DOOR CLOSER: BDD-2-760 BSQ





Details	
Door closer type	Hydraulic overhead door closer
Arm type	Standard arm without retaining
Adjustable Power	2 - 4
Maximum door width	1100 mm
Maximum door weight	80 Kg
Power adjustment	by position
Mechanism	Rack and Pinion

Details	
closing speed adjustable	by valve
Lathing speed adjustable	by valve
Opening angle	180°
Reversible door closer	YES
Certified Fire proof	YES
CE marking	YES





BDD-21.550.BA



HYDRAULIC OVERHEAD DOOR CLOSER FREELINE WITH SLINDING ARM - FIXED POWER: 3

Features

- · Hydraulic overhead door closer
- · Standard arm without retaining
- Fixed Power: 3
- Maximum door width: 1000 mm
- Maximum door weight: 60 kg
- · Rack and pinion mechanism
- closing speed adjustable by valve
- · Lathing speed adjustable by valve
- Opening angle 180 °
- · Reversible door closer













HINGES






BDH-2.05.064

Invisible hinge with 3D adjustment.





Finishes
















BDH-2.05.063.B





Invisible hinge with 3D adjustment.



Black Edition



BGH-5.845E 10 BGH-5.845E 20

BLUE WEST GmbH

Hidden door closer hinges

The new hidden oildynamic doorcloser hinge, for framed doors with a stop. Upon customer request. This type is completely hidden into the profile, and adapted to every project.



BGH-5.845E 20 Upper hinge





BGH-5.845E 10 Bottom hinge

Features:

- · Hydraulic Closing;
- · Invisible hidden into the profile;
- · Customizable, in order to satisfy every specific project;
- · Adjustability of the closing speed;
- Height regulation +/- 3 mm;
- 90° Stop
- Minimum dimensions 25×25 mm.

The installation of the upper hinge is completed by the dedicated hidden lower hinge.






LEVER HANDLES





BDL-1.00.310
















































BDL-1.00.418





Material: stainless Steel - WENGÉ

Finish: Satin
















Entrance Doors
























BALUSTRADES































GLASS DOOR FITTINGS AND ACCESSORIES










BW Double-action Door Hinge



The BW double-action door hinge offers particular convenience. And all the more so where the door is returned to the desired closed position by the action of the hinges alone – without any need for a recessed floor spring or an overhead door closer.

- Effortless opening and closing of swing doors
- Excellent returns from every angle
- TÜV-tested/third-party verification
- Easy installation



BW Double-action Door Hinge





BW ROUND DOUBLE-ACTION GLASS DOOR SYSTEM



The patented ROUND double-action door system keeps glass double-action doors completely clear from visually disruptive functional elements. The fitting components do not appear in the door leaf's clear outlined area; rather, they are stored in the surrounding structures. As a result, the fitting is not the main focus, but rather absolute door transparency. Even smaller rooms become really large – a big win for interior architecture.

- High level of transparency
- Independently choose the room's color and material
- High durability thanks to sophisticated technology
- · No need for a door frame

BW ROUND DOUBLE-ACTION GLASS DOOR





BW BEY Anti-Pinch Swing Door System



BEY, a secure, functional, unique and design-oriented system for swinging glass doors without jamming. The BEY swing door's patented system with its pivot point positioned in the middle of the glass axle ensures safety. BEY opens up numerous opportunities to integrate frameless glass doors in toughened glass assemblies or wall openings. The option to choose between an elegant, continuous rotating rod and the short rod solution makes the technology "acceptable" for any room situation.

- · Secure, safe and functional
- · Continuous rotating rod does not jam
- Prevents the risk of trapped fingers
- · No need for a door frame
- · High level of transparency due to low metal fitting size
- · Flexible application for many different door situations







BW BEY Anti-Pinch Swing Door System









BW TP/TA Door Rails



The TP/TA door and side panel rails coordinate with all BLUE WEST patch fittings in terms of design, dimensions and the finishes available.

- For heavy-duty and wide doors
- Special security and quality features
- Easy door adjustment Reliability built in
- Short delivery times





BW BG Lock System



It doesn't matter what sort of glass door needs securing, what function it has to fulfill, or the type of fittings specified – there will be a lock in the BLUE WEST BG range that will provide the shape, the function and the finish you require.

- For heavy-duty and wide doors
- Special security and quality features
- Easy door adjustmentReliability built in
- Short delivery times



BW EA Patch Fittings



EA patch fittings are characterized by their slim, neat shape and sophisticated hinge design. This comprehensive range of fittings maximizes the transparent elegance of single-action doors - whether hung in frames or integrated in toughened glass assemblies.

- Easy glass preparation, secure fixing
- Suitable for 8, 10 and 12 mm glass thicknesses
- Reliability built in
- Matching range of locks
- Virtually unlimited choice of colors and finishes
- Short delivery times



BW EA Patch Fittings






BW NET toughened glass assemblies



NET impresses with its distinctive design: point-fixed in stainless-steel. This elegant solution underscores the spaciousness of transparent architecture and relies on high flexibility. As a result, special formats in very special architecture can also be implemented in addition to doors and conventional toughened-glass systems.

- · Great flexibility and wide variety
- No need for a door frame
- Glass elements are easy to install with custom fit
- · Uniform stainless-steel design for sliding and revolving doors





BW Wall connecting profiles



The wall connecting profiles seal toughened-glass designs to the wall, ceiling and floor in a clean, elegant manner and ensure secure support for side parts and roof lights. Many different materials such as aluminum, brass, stainless steel and many different surfaces offer a premium and attractive look.

- Designed for toughened safety glass
- Glass thickness 8 19 mm
- Door weight: 15 kg per clamp
- · Material: Aluminum, brass, stainless steel
- Surface: Anodized and RAL colors, brass, stainless steel
- · Easy mounting



BW BR 22/28 Frame System



The BR 22 and BR 28 frame solutions comprise a frame profile (standard-drilled holes), a clamping profile and two contact rubber profiles (PVC, transparent). The frames are suitable for both interior and exterior applications.

- Elegant solutions for interior and exterior applications
- Easy to install
- Straightforward removal and re-installation
- · Can be combined with sash bar profiles








- Clear design lines, no visible fixings
- Wide range of surface finishes, colours and materials
- Particularly easy to install: Many BGF-DMUN fittings can be mounted on the glass and fixed into place in their as-delivered condition
- Fast installation, simple in-situ adjustment of the installed system
- set up for the right glass thickness: adaptable to different glass thicknesses without the need to change gaskets
- Improved load-bearing performance and more secure hold thanks to highstrength materials (screws and threaded sleeves of high-grade stainless steel capable of absorbing high clamping forces)
- Use of laminated safety glass (LSG) using BLUE WEST's proven Clamp&Glue technology for high quality and safety demands (BGF-DMUN Premium)

	BGF-DMUN Premium	BGF-DMUN Comfort
Max. load-bearing capacity	200 kg	150 kg
Max. panel width	1,300 mm	1,100 mm
Possible glass thickness	8 – 12 mm 12 – 15 mm 15 – 19 mm 19 – 22 mm	8 – 12 mm
Supported pivot points in mm	55, 65, 70 mm	55, 65, 70 mm
Offset adjustability in mm	Infinite (± 3 mm); 52 – 73 mm	Infinite (± 3 mm); 52 – 73 mm
Adjustability of the door/insert	Multi-dimensional	Multi-dimensional
Cover materials	Stainless steel, aluminum, glass etc	Stainless steel, aluminum






BGL-DRON



- Lock insert with low-noise "whisper" functionality as standard. The whisper latch (study metal latch
- partially plastics-sheathed and damped latch motions for noise minimisation) satisfy particularly high expectations. Adjustable lever handle follower +1,5° / – 1°, patent pending, for avoidance of "lever
- handle sag" (droop). Further on a special spring supported clamp follower holds the lever handle perfectly secure.
- The fully closed lock case provides optimum protection for the internal components which themselves are of rugged unit construction.
- Locks comply to the current DIN EN 12209.
- Moreover these locks were tested successfully by a neutral testing institute with 200,000 latch and 200,000 locking bolt operating cycles








BGL-DGAL



- Lock insert with low-noise "whisper" functionality as standard. The whisper latch
 (study metal latch partially plastics-sheathed and damped latch motions for
 noise minimisation) satisfy particularly high expectations. Adjustable lever
 handle follower +1,5° / -1°, patent pending, for avoidance of "lever handle sag"
 (droop). Further on a special spring supported clamp follower holds the lever
 handle perfectly secure.
- The fully closed lock case provides optimum protection for the internal components which themselves are of rugged unit construction.
- Locks comply to the current DIN EN 12209.
- Moreover these locks were tested successfully by a neutral testing institute with 200,000 latch and 200,000 locking bolt operating cycles



BGF-DRP





The popularity of concealed overhead closers has led BLUE WEST to furnish fully fabricated headers for every door and sidelite configuration. The RP Header System, which incorporate RTS overhead concealed door closers, offer the perfect solution for those who prefer the aesthetic advantages of a concealed closer.

- Modular system
- · Innovative design and quality material
- · RP Header System incorporates concealed overhead door closer
- Special damping system to protect the door against unwanted impact
- Integral hold open function

Features

BLUE WEST RP Patch Fittings with transom closer.

The BLUE WEST RP pivot door system works with a tubular transom profile in which the BLUE WEST RTS transom closer is integrated and concealed.

Attaches the all-glass door to the closer

This BLUE WEST RTS transom closer not only returns the door to the zero position each time it is opened, it also has a special damping system to protect the door against unwanted impact caused by over aggressive opening. In addition, the integral hold open, which also comes as standard, enables the door to be held open at an angle of 90°.

Innovative design and quality material

The popularity of concealed overhead closers has led BLUE WEST to furnish fully fabricated headers for every door and sidelight configuration.

Benefits for the architect/specifier

The perfect solution for those who prefer the aesthetic advantages of a concealed closer

Benefits for the trade/distributor

Applications

For indoor use, e.g.

- · Doctor's offices
- Hotel rooms
- · Office rooms
- · Private residences





ELECTRONIC CYLINDERS





BW - Mechatronic cylinder



BLUE WEST mechatronic cylinders bridge the gap between electronic access control and the world of mechanics. As part of the tried-and-tested **BLUE WEST** evolo portfolio, they can be seamlessly integrated into existing mechanical master key systems. A whole world of new possibilities is now available, thanks to the combination of mechanical cylinders and electronic access control. The key can be programmed very quickly – and programming can be removed just as fast too. Plus, access rights can be controlled in relation to both time and location. The smart key, which is equipped with an RFID chip, opens doors with both mechanical and mechatronic cylinders.

The range includes versions with surface fixed housing and compact cylinder, as well as double, thumbturn and single cylinders, in which the electronic module is built into the door leaf.



BW digital cylinder



These are lifestyle cylinder locks with both visual and acoustic access signals. They are compact, energy efficient and extremely easy to install. The many different versions offer a solution for every door.

Features

- · Can be installed in any door made of wood, glass or metal
- · Suitable for installation in fire doors
- · Increased drill protection for enhanced security
- Award-winning modern design
- · Available in black or white
- · Modular design On-site length adjustment possible





PULL HANDLES









Material: EN 1.4301 / AISI 304

Finish: Satin

Optional: PVD Titanium Coated









BDP-4.07.205.A




Material: EN 1.4301 / AISI 304

Finish: Satin

Optional: PVD Titanium Coated





A - 200/250

BDP-4.07.204.A




Material: AISI 304

Finish: Satin

Optional: PVD Titanium Coated







BDP-4.07.201.V





MASTER KEY SYSTEMS






Complete Master Key System Design

A master key system is a key plan whereby selected keys can open a number of pre-defined doors. It helps maintain better control, saves key replacement costs and is convenient, as there are a lower number of keys in circulation. It also provides quick access to all rooms within the premises, e.g. for security staff and management personnel. This is not only convenient but can save lives in case of emergency.

In the front example, the 'Master Key' would open all doors and lock types in the property and is held by the caretaker. The Sub-Master A opens the main entrance and all the locks on the ground floor, and is held by the manager of the company that occupies that floor. The same applies to Sub-Master B.

In addition, each employee has one key that opens the main entrance, their own office door and their filing cabinets. These keys work with different types of lock, e.g. door locks, cabinet locks, padlocks, etc., as long as the cylinder inside them is of the same model.





- **❖ MOVABLE & FIXED PARTITIONS**
- *** WALL SYSTEMS**





BW-DS SLIDING DOOR

MINIMALIST SLIDING DOOR WITH SAFETY GLASS

Would you like a nice glass door in your home despite your limited space? This BW-DS sliding door is the perfect solution. Restrained aluminum profiles and safety glass combine to offer an elegant appearance and great ease of use.

This glass door slides along the side of your wall. The hanging system can be fixed to the surface of the wall or ceiling. Do you prefer it to blend unobtrusively with your interior? Flush mounting is also possible.

Thanks to the sliders at the top, a track along the floor is unnecessary. Add an optional automatic closing system and the door will gently close itself.

As all **BW** glass doors are made to order, filling tall or wide openings is no problem. Thanks to our superior technology, various combinations and configurations are possible. Select your own color (standard or custom RAL color), profile finish (anodized or powder coat, matt or glossy, texture), glazing (clear, frosted, colored, Vanceva glass), door handles or pulls, division into panels or interplay of lines.







BW-DS POCKET SLIDING DOOR

SLEEK SLIDING DOOR DISAPPEARS INTO WALL

Would you like a nice glass door in your home despite your limited space? This **BW-DS** pocket sliding door is worth considering.

The plain aluminum profiles offer a clean look, reinforced by the door's ability to disappear fully into the wall. Close the door to separate two areas and open it again to create one larger area.

Thanks to the sliders at the top, a track along the floor is unnecessary. Add an optional automatic closing system and the door will gently close itself.

As all **BW** glass doors are made to order, filling tall or wide openings is no problem. Thanks to our superior technology, various combinations and configurations are possible. Select your own color (standard or custom RAL color), profile finish (anodized or powder coat, matt or glossy, texture), glazing (clear, frosted, colored, Vanceva glass), door handles or pulls, division into panels or interplay of lines.









BW-D1-80 HINGED DOOR

HINGED DOOR WITH HANDLE AND LOCK IN THE GLASS

This contemporary **BW-D1-80** hinged door is fully on trend. The steel-look door combines an attractive aluminum frame with a large expanse of glass, allowing light to flood your space in abundance.

The door opens 135 degrees one way. Use of top and bottom pivots avoids unsightly hinges. The handle and lock fit into the pane of glass.

As all **BW** glass doors are made to order, filling tall or wide openings is no problem. Thanks to our superior technology, various combinations and configurations are possible. Select your own color (standard or custom RAL color), profile finish (anodized or powder coat, matt or glossy, texture), glazing (clear, frosted, colored, Vanceva glass), door handles or pulls.





BW-DB HINGED DOOR

HINGED DOOR WITH HANDLE AND LOCK IN THE FRAME

BW-DB is a hinged door with a sleek steel look; a lovely addition to your interior. The handle and lock are part of the door's frame.

The hinges integrate unobtrusively with the rest of the design. The door opens 90 degrees one way.

As all **BW** glass doors are made to order, filling tall or wide openings is no problem. Thanks to our superior technology, various combinations and configurations are possible. Select your own color (standard or custom RAL color), profile finish (anodized or powder coat, matt or glossy, texture), glazing (clear, frosted, colored, Vanceva glass), door handles or pulls.



BW-D1S PIVOT DOOR

FRAMELESS PIVOT DOOR WITH CENTRAL GLASS

The **BW-D1s** two-way frameless door is the most minimalist option in our range. Ultra-slim aluminum profiles provide a sleek metal look that is fully on trend.

A floor-mounted spring allows the door to close automatically. You can also opt to have it stay open at a 90-degree angle.

As all **BW** glass doors are made to order, filling tall or wide openings is no problem. Thanks to our superior technology, various combinations and configurations are possible. Select your own color (standard or custom RAL color), profile finish (anodized or powder coat, matt or glossy, texture), glazing (clear, frosted, colored, Vanceva glass), door handles or pulls.





BW-DBS PIVOT DOOR

FRAMELESS PIVOT DOOR WITH EXTERNAL GLAZING

BW-DBs is a sleek, frameless pivot door. It offers the look of a steel internal door, but is much lighter thanks to the slim aluminum profile. An eye-catching addition to any interior, whether rustic or modern.

A floor-mounted spring allows the door to close automatically. You can also opt to have it stay open at a 90-degree angle.

As all **BW** glass doors are made to order, filling tall or wide openings is no problem. Thanks to our superior technology, various combinations and configurations are possible. Select your own color (standard or custom RAL color), profile finish (anodized or powder coat, matt or glossy, texture), glazing (clear, frosted, colored, Vanceva glass), door handles or pulls, division into panels or interplay of lines.








BW-MONOVOLUME HINGED DOOR

HINGED DOOR WITH PANELS AND DOUBLE GLAZING

This **BW-MONOVOLUME** hinged door with multiple elements really catches the eye. The door is constructed with an aluminum frame that can be divided according to your preference. Several glass panes are fixed to either side using adhesive. You can combine various styles and colors of glass in a single door, making the range of design options very broad.

The mount for this hinged door is frameless. Available with hinges (opening 90 degrees one way) or as a two-way pivot door.

This hinged door is an ideal combination with one of our fixed glass partitions.





BW-MONOVOLUME SLIDING DOOR

SLIDING DOOR WITH PANELS AND DOUBLE GLAZING

This **BW-MONOVOLUME** sliding door with multiple panels is a true eye catcher. The door is constructed with an aluminum frame that can be divided according to your preference. Several glass panes are fixed to either side using adhesive. You can combine various styles and colors of glass in a single door, making the range of design options very broad.

This sliding door can move either alongside or into the wall. It slides smoothly and soundlessly along a track that can be mounted to the surface or flush with your wall or ceiling. There is no visible hardware along the floor.

This sliding door is an ideal combination with one of our fixed glass partitions.





BLUE WEST GmbH

BW-G20 GLASS PARTITION

SINGLE-GLAZED, FULL-HEIGHT PARTITIONING (ULTRASLIM PROFILE)

With this **BW-G20** full-height partitioning, light floods your space in abundance. The barely noticeable, slim steel-look profiles provide a tasteful accent to your interior. The ultimate refinement!



M50 GLASS PARTITION

SLIM PARTITIONING WITH FRAMES AND PANELS

This **BW-M50** glass partition is ideal for those who love an industrial look. The aluminum frame with double glazing can be divided according to your preference.

The **BW-M50** invites you to get creative and combine different styles and colors of glass for a true eye catcher!



PIVOTING GLASS DOOR BW-SKD-75

CUSTOM PIVOTING GLASS DOOR

These crittall style masterpieces integrate seamlessly into any interior style.

Our distinctive pivoting room dividers have the ability to completely transform a space. Not just by giving it a cool and modern edge, but also by offering a modular way to open up space and letting in more light.

Pivot doors are a creative way to cleverly partition open areas to different zones, without any compromise on light or space.

Due to clever engineering, even a toddler can open doors that weigh up to 150 kg!

The old school crittall style is remastered by ANYWAY doors with matte black anodized aluminum. This results in a lightweight pivot door system, which is fully made-to-measure and can be fitted with any kind of 6 mm thick tempered glass. Most clients choose clear glass with or without the optional aluminum grid lines on the glass. Various other popular glass types such as matte or colored glass can also be mounted in the black frame.


Our patented Stealth Pivot hinge system is equipped with a high-tech comfort closure, which actively works in both swing directions. These innovative pivot hinges make it possible to tailor make a glass pivot door up to 5.5 m², that feels as light as a feather. Even a toddler can safely open and close the door due to ingenious product design.

The "Anyway philosophy" allows the door to open in all possible directions. The hinges can pivot eccentrically or centrally up to 360° if desired.





CUSTOM PIVOTING GLASS DOOR



CUSTOM PIVOTING GLASS DOOR



SLIDING GLASS DOOR BW-SWK75

CUSTOM SLIDING GLASS DOOR

The **BW** brand Anyway Doors with its custom-made glass sliding doors manages to merge clean lines and technical sophistication. Sliding partitions are contemporary and trendy, but are less suited to frequently-used passages or places with high acoustic or thermal requirements! A new and very compact anodized aluminum rail was designed for sliding glass doors.

The aluminum top rail can be mounted either on the wall or ceiling. If desired, the rail can also be incorporated into the ceiling. To prevent problems in advance with situations whereby the sliding doors move between two walls, a rail system was developed that enables the extraction of the sliding partition on one side, in the doorway. This means that no repairs or adjustments need to take place in between the two walls.





PIVOTING PANEL DOOR BW-SVD

CUSTOM PIVOTING PANEL DOOR

Create a true design statement in your home with our innovative "Room Divider", which offers a unique 360° central pivoting hinge or offset axis pivoting hinge, tailormade to your needs.

Our modern pivot doors are equipped with invisible pivoting hinges without floor fixtures. The compact hinge system features a high-tech comfort closure which works in both swing directions, allowing doors to revolve up to 360°.

These innovative hinges make it possible for a door as heavy as 150kg to feel as light as a feather. The Anyway philosophy allows the door to open in all possible directions. A pivoting door equipped with a 360° central pivot point can therefore revolve endless.

All pivot doors close soundlessly by means of patented locking technology integrated in the door as well as in the minimalist frame. The male (convex) part consists of a synthetic profile on the door leaf; the synthetic fitting in the door frame is the female (concave) part. Every Anyway door can therefore be set at an opening of 90°, or 180°/360°. Even with doors swinging at 180°/360°, this guarantees perfect closure and positioning. The invisible built-in ventilation is also provided as standard with full doors and glass-framed doors.

This pivot door concept can be used frameless, but it will lose it's "closing" capabilities this way. Light and air will bleed through around the door. The pivot concept is compatible with all doorframes designed by Anyway Doors for a perfect fit.





SLIDING PANEL DOOR BW-SWV

CUSTOM SLIDING PANEL DOOR

These modern made-to-measure sliding doors are well thought-out and have a practical design with a smooth, compact look and concealed integrated technology. They are ideal as an optical screen between two spaces, or for a wall cabinet. The intended function, location and arrangement determine the choice of materials and the sliding partition type.

The tailor-made sliding doors are available in various materials, varying from full tempered glass doors to 'full panels' that have a solid core and are made of 'solid' full-core material.


Sliding partitions are very contemporary and trendy, but are less suited to frequently-used passages or places with high acoustic or thermal requirements! They are ideal for use between the living room and kitchen, living room and office, bedroom and wardrobe, bedroom and bathroom, and so on. They are less suitable in locations with frequent passage traffic or increased acoustic and thermal requirements, such as between the hallway and living room. For these locations you're better off looking at the pivoting doors which offer better ergonomics.







OPTIONS & INTEGRATIONS



BW TECHNICAL PANEL

TECHNICAL CASINGS ALLOWING FOR AN EASY INTEGRATION AND READY ACCESSIBILITY OF CONTROLS, DISPLAYS AND CABLING

- We can easily conceal all controls, screens and their cabling in technical panels that seamlessly merge into our door / wall systems.
- Our BLUE WEST solutions are unique thanks to the many possibilities to connect and integrate our products with floor ceilings, walls and facades.
- The contemporary working environment requires that all new techniques are easily accessible. Our range of options & integration ensures that you can enjoy your workshop in comfort.





BW FLEXIBLE WALL

GLASS WALL/MOBILE WALL CONNECTION WITH SPECIAL ACOUSTIC CONNECTION

Do you have a flexible wall that you want to connect as imperceptibly as possible to your glass office walls? Our special acoustic connection ensures a soundproof and refined connection between the glass wall and the flexible wall.

Our **BW** solutions are unique thanks to the many possibilities to connect and integrate our products with floor ceilings, walls and facades.

The contemporary working environment requires that all new techniques are easily accessible. Our range of options & integration ensures that you can enjoy your workshop in comfort.




BW FACADE

ELEGANT WALL/FACADE CONNECTION PROFILE AND AN OPTIONAL CONNECTION IN CASE OF HEIGHT DIFFERENCES

We provide a seal between your office walls and the facade with an elegant connection profile. We can even eliminate a height difference between the wall and the facade.

Our **BW** solutions are unique thanks to the many possibilities to connect and integrate our products with floor ceilings, walls and facades.

The contemporary working environment requires that all new techniques are easily accessible. Our range of options & integration ensures that you can enjoy your workshop in comfort.



DISCRETION

OPTIONAL PROVIDING OF SCREENS OR INTEGRATION OF ADJUSTABLE BLINDS BETWEEN GLASS PANELS

Organize your office without sacrificing transparency and sense of space? Our glass partition walls and doors are ideal for this. Still, there is a need for some privacy now and then. Integrating slats in double-glazed wall gives you the option of closing off your working environment.

Our **BW** solutions are unique thanks to the many possibilities to connect and integrate our products with floor ceilings, walls and facades.

The contemporary working environment requires that all new techniques are easily accessible. Our range of options & integration ensures that you can enjoy your workshop in comfort.







250 mm/s

High-speed travel to the required position




ComfortDrive track drive system with smart bus technology



Individually programmable for flexible room management

Reliable safety with system stop and reverse on contact with obstructions



R_W 58 dB Sound reduction ratings up to Rw 58 dB with optimised profiles and seals.



Low specific weights per unit area for easy handling and obvious structural advantages



Smaller-dimensioned stacking areas and parking niches



Decorative melamine finishes from the "Classic Collection"





QUALITIES

LEADING THE FIELD IN SOUND INSULATION




An excellent solution for parallel events

As well as having the function of visually sub-dividing areas, movable partition walls also have the role in many applications of filtering acoustic signals in order to prevent noise disturbing the users of the other rooms. Room partitioning with reliable acoustic insulation properties is a must, particularly when events run concurrently.

The BLUE WEST BLUE FEST system ensures unsurpassed sound insulation without compromising ease of use. As freely oscillating elements, the clip-on fascia boards reduce the transmission of structure-borne noise, thus ensuring extremely high acoustic performance. Weighted sound reduction

Enhancing the well-being of room users

Special acoustic panels increase sound absorption and reduce reverberation. These advantages, coupled with the high quality standards and visual impact of BLUE WEST BLUE FEST, greatly enhance user comfort and offer incomparable benefits for areas where people come together to communicate.











Wide range of surface finishes and a variety of perforation patterns





BW THERM SLIDING WALL SYSTEM

The BW Therm horizontal sliding wall system is a good choice wherever greater temperature differences must be separated from each other. Thanks to its easy latch operation on the pivoting/sliding panel, the BW Therm makes it really simple to switch the panel function in an instant. All other function elements are invisibly integrated into the re-designed, linear frame system.




Features

Standards

- · Thermally-insulating closure due to circumferential frame profile with thermal separation at all panels
- · A convenient movement for switching from the sliding to door functionality on the pivoting/sliding panel.
- Panel height up to 3500 mm (pivoting/sliding panel up to 3000 mm)
- All pivoting/sliding panels are equipped with the BDD-DS96 with a hold-open device, which is invisibly integrated into the door profile.

Heat protection	 Heat transition coefficient in accordance with DIN EN ISO 10077-1, -2UD [W/m²K] = 1,8
Endurance strength	 Class 3 in accordance with DIN EN 1527, corresponds to 25,000 cycles for hanging sliding doors > 100 kg
	 Class 3 in accordance with DIN EN 1191, corresponds to 20,000 cycles for door function for pivoting double-action panel, pivoting double action sliding panel and single-action door
Impact test	 Class 5 (highest achieveable class) in accordance with DIN EN 13049 (simulation and impact loads)
Corrosion test	Class 4 in accordance with DIN EN 1670 (proximity to coast)





BW SAFE SLIDING WALL SYSTEM

BW SAFE offers enhanced convenience and security for the installer and user.

The new door rail enables an effortless and time-saving installation thanks to proven Clamp & Glue technology. Suitable for toughened glass thicknesses 10-19mm with optional safe use of laminated safety glass for added safety.



Features

The new 3-in-1 multi-lock offers three options for secure locking. Additional intelligent solutions like a status display, a concealed door closer and double brush seals to minimise drafts, ensure more convenience and security. Extensive design freedom allows adaptation to any interior ambience.

- Hassle-free installation thanks to new Clamp & Glue technology
- Enhanced safety in use with laminated safety glass (LSG)
- 3-in-1 multi-lock gives more locking possibilities in one component
- New status display clearly shows the locking status of the door panel
- Less draft, greater comfort with innovative double brush seals
- Glass panes can have the following glass thicknesses: 10mm, 12mm, 12.8mm, 13.5mm, 15mm, 17mm and 19 mm.

DATA

Max. system height:	4000 mm
Max. panel width:	1250 mm
Max. panel weight:	150 kg Seamlessly accepts glass thicknesses ranging from 10 to 19 mm
Tested and certified:	Wind load (frame bending): EN 12211 Class 1 Fatigue strength: DIN EN 1527 Class 2 and DIN EN 1991 Class 3 Shock test: DIN EN 13049 Class 5 (highest class) Corrosion test: DIN EN 1670 Class 4 EPD (Environmental Product Declaration): ISO 14040





FIRE RATED DOORS



Fire Doors





Fire Doors





Fire Doors







PANIC BARS






BDE-3.20.951.K1

PANIC EXIT DEVICES FOR GLASS DOORS



Reversible anti panic door lock for single glass doors. Closing system through a side latch. Without access from external side.








PANIC EXIT BAR FOR **GLASS DOORS**







BDE-3.20.952.K2

PANIC EXIT DEVICES FOR GLASS DOORS



Reversible anti-panic door lock for single glass doors. Closing system through a side latch. Opening by key from the outside. Lever handle with plate and cylinder included.






















BLUE WEST GmbH

BDE-1.20.957 ANTIPANIC LOCK



Reversible panic exit device for single doors. Without side latch. Appliable with mortice door lock BDE-1.20.960/BDE.1.20.960.C. Opening by key from the outside.

Lever handle with plate and cylinder not included




















BLUE WEST GmbH

BDE-F1.20.945 ANTIPANIC LOCK




Reversible anti-panic door lock for single doors. Without side latch. Appliable with mortise lock .Opening by key from the outside. Lever handle with plate and cylinder not included












BDE-1.20. 954.KIT ANTIPANIC DOOR LOCK

Reversible antipanic door lock for glass doors with closing system through top and bottom latch. Opening by key and lever handle from the outside.

Lever handle with plate and cylinder included.






















BDE-D2500

TOUCH BAR FITTINGS FOR TIMBER DOORS



With its series **BDE-D2500** (touch bar), the **BLUE WEST** Premium project door furniture and corresponding complementary accessories, **BLUE WEST** is able to offer a high-performance panic hardware system ideal for both internal and external timber door applications. The integrated mortise panic/emergency escape lock enables the door to be engaged by both latch and bolt.














SHOWER CABINS






























ACCESS CONTROL DEVICES










BW-OP-VID-PRO-RDR

The **BLUE WEST** Video Reader Pro combines the heightened security of a built-in high resolution camera with the form factor of a mullion door reader. Automatically associate video footage with access events, alerts, and motion, and visually monitor entries in the **BW** mobile app, and the Control Center.

The Video Reader Pro is a multi-technology reader that supports both low (125 kHz) and high (13.56 MHz) frequencies. The camera angle is adjustable during installation, ensuring optimal video coverage. The Video Reader Pro is ONVIF Profile S and T compliant to easily integrate with third-party video management systems, and connects to legacy access control panels in Standalone Mode or via Mobile Gateway.







BW-OP-VID-PRO-INT



The **BLUE WEST** Video Intercom Reader Pro combines a built-in high resolution camera, intelligent intercom, and multi-technology reader into a slim and sleek form factor. Visitors use the intercom to initiate calls, communicate with assigned users, and are visually identified within the **BLUE WEST** app. Automatically associate video footage with access events and visually monitor entries in the **BW** Control Center. The Video Intercom Reader Pro is a multi-technology reader that supports both low (125 kHz) and high (13.56 MHz) frequencies. The camera angle is adjustable during installation, ensuring optimal video footage.



Works with any system

Easily integrates with legacy access control systems, logical software systems, and existing video systems via ONVIF-compliant platform



Touchless reliable access

Our patented Triple Unlock technology supports hands-free supports hands-free Wave to Unlock, mobile or watch app, tablet, HF and LF keycards, fobs, and Cloud Key



Video at the door

Associate video with access events or alerts and visually monitor entries from the app or Control Center



Smart intercom

Visitors can say the name of the person they're visiting, ask to speak to a receptionist, or leave a voicemail, all via the intercom's intelligent voice interface



Clear calls

Two-way audio streaming with echo and noise cancellation lets you easily communicate with guests at the door



Easy to install

Sleek mullion form factor is easy to mount and install with simple PoE connectivity and snap-in design



Cloud security

Encrypted end-to-end communication, strong public key cryptography



Capacity tracking


Track occupancy and enforce capacity limits with innovative BLE functionality



Monitoring

Built-in diagnostic and real-time troubleshooting insights







BW-OP-R2-STND Standard Door Reader




The **BLUE WEST** Standard Smart Reader v2 leverages industry leading security combined with an elegant design that will enhance any door and office environment. The reader supports multiple touchless access methods, including Wave to Unlock, in-app and remote unlocks, and unlocking via a Smart Watch. This multi-technology reader supports both low (125 kHz) and high (13.56 MHz) frequencies, plus a wide variety of key cards and fobs.

((()	(([))	6
Fast & reliable	Touchless access	Reader security
Patented Triple Unlock with Bluetooth, WiFi and cellular data	Supports hands-free Wave to Unlock, mobile or watch app, tablet, HF and LF keycards, fobs, and Cloud Key	Stores no sensitive data, tamper resistant
<u>a</u>		ãão d
Fail safe	Easy to install	Capacity tracking
Designed to withstand power failures and Internet outages	Standard wiring, easily replaces legacy systems	Track occupancy and enforce capacity limits with innovative BLE functionality



BW-OP-R2-MULL Mullion Door Reader




The **BLUE WEST** BW-Mullion Smart Reader v2 leverages industry leading security combined with an elegant design that will enhance any door and office environment. The reader supports multiple touchless access methods, including Wave to Unlock, in-app and remote unlocks, and unlocking via a Smart Watch. This multi-technology reader supports both low (125 kHz) and high (13.56 MHz) frequencies, plus a wide variety of key cards and fobs. Innovative BLE functionality allows the reader to track occupancy and supports contact tracing. The mullion form is ideal for surface mounting where space is limited, like on a doorframe.

	(([))	6
Fast & reliable	Touchless access	Reader security
Patented Triple Unlock with Bluetooth, WiFi and cellular data	Supports hands-free Wave to Unlock, mobile or watch app, tablet, HF and LF keycards, fobs, and Cloud Key	Stores no sensitive data, tamper resistant
9		ãão ()
Fail safe	Easy to install	Capacity tracking
Designed to withstand power failures and Internet outages	Standard wiring, easily replaces legacy systems	Track occupancy and enforce capacity limits with innovative BLE functionality



PHYSICAL ACCESS
CONTROL SOLUTIONS
(INTERIOR)





BW-ONYX-S TRIPOD TURNSTILES



Ergonomic design with stylish body lines is the defining feature of this turnstile. The inclined scratch resistant glass top gives this turnstile a futuristic look making it a stylish architectural element to compliment any modern interior.

These turnstiles are equipped with an automatic bi-directional servo-drive mechanism with a robust locking system and are able to operate reliably and efficiently in high traffic flow locations.

This model has a robust hub with stainless steel pods and a fully automatic antipanic system, where in the case of an emergency, the arms are automatically lowered and users can freely pass through unhindered. The cabinet tops are made of a scratch-resistant black glass, which allows simple maintenance and long lasting aesthetics. The sleek LED's follow the lines of the turnstile's body, and can be both static and dynamic in operation. Additionally the pulsing display indicates the direction of travel through the turnstile. Two RFID readers are integrated under the top glass reader panels, with LED lighting which provides a clear indication for users to present their access control cards. The combination of all of these LED features clearly determines the status of the passage (Green – Access authorized, Red-Access denied and Blue – Standby mode).



BW-ONYX-M TRIPOD TURNSTILES



Ergonomically designed with stylish lines which encapsulates a sturdy chassis and efficient control system, producing a unit which is ideal for today's contemporary interiors. These turnstiles are equipped with an automatic bi-directional servo-drive mechanism with a robust locking system and are able to operate reliably and efficiently in high traffic flow locations. This model is equipped with an automatic anti-panic system, where, in the case of an emergency, the arms are automatically lowered and users can freely pass through unhindered. The cabinet tops are made of a scratchresistant black glass, which allows simple maintenance and long lasting aesthetics. The sleek LED's follow the lines of the turnstile's body, and can be both static and dynamic in operation. Additionally the pulsing display indicates the direction of travel through the turnstile. Two RFID readers are integrated under the top glass reader panels, with LED lighting which provides a clear indication for users to present their access control cards. The combination of all of these LED features clearly determines the status of the passage (Green - Access authorized, Red-Access denied and Blue - Standby mode).



BW-CENTURION-M TRIPOD TURNSTILES



Ergonomically designed with stylish lines which encapsulates a sturdy chassis and efficient control system, producing a unit which is ideal for today's contemporary interiors. These turnstiles are equipped with an automatic bi-directional servo-drive mechanism with a robust locking system and are able to operate reliably and efficiently in high traffic flow locations. This model is equipped with an automatic anti-panic system, where, in the case of an emergency, the arms are automatically lowered and users can freely pass through unhindered. The cabinet tops are made of a scratchresistant black glass, which allows simple maintenance and long lasting aesthetics. The sleek LED's follow the lines of the turnstile's body, and can be both static and dynamic in operation. Additionally the pulsing display indicates the direction of travel through the turnstile. Two RFID readers are integrated under the top glass reader panels, with LED lighting which provides a clear indication for users to present their access control cards. The combination of all of these LED features clearly determines the status of the passage (Green - Access authorized, Red-Access denied and Blue - Standby mode).



BW-CENTURION-M TWIN TRIPOD TURNSTILES



BW-CENTURION-M Twin is one of the most popular of the tripod arm style turnstiles. Taking minimum space and giving maximum efficiency the fast responding motor and quick operation will eliminate crowding at the entrance. The drop arm function efficiently enables free passage in case of emergency. A brushed or polished stainless steel finish will suit any interior (powder coated version available). The enclosure design of this vertical tripod turnstile means it is suitable for outdoor installation without an additional canopy or extensive alterations. As with other turnstiles in this series, BW-CENTURION-M Twin is available with a back-up battery connection.





BW-BASTION - M TWIN TRIPOD TURNSTILES



BW-Bastion-M is one leg base tripod gate. BW-Bastion-M tripod access system has a new mechanism BW-Triservo-M. BW-Bastion-M has a double LED indication too. Enlarged housing of this access turnstile allows getting extra strength and robust benefits which keep pedestrian traffics of high intensity.

Advantages:

- Bi-directional motorized tripod turnstile with panic / bar drop function;
- · High quality at a cost effective price;
- · Integration with any type of access control and ID systems;
- · Low power consumption;
- · Panic / bar drop function with automatic reset;
- · Whisper quiet, low noise operation;
- · Optional indoor or outdoor housing types;
- · Wide range of accessories; Availability of a back-up battery connection;
- · Complete supply set as a standard.



BW-SKULL - M TRIPOD TURNSTILES



BW-SKULL-M is a gate barrier with a special wall mounting design. BW-Skull-M turnstile has a double LED indication - on the side and on top. A variety of housing finishing types enables this tripod turnstile to be fitted to a range of installation sites, both indoors and outdoors. It includes an anti-panic function (to prevent injury in the case of people panicking by allowing fast and easy egress to the people in the building).


Advantages:

- · Bi-directional motorized tripod turnstile with panic / bar drop function;
- · High quality at a cost effective price;
- Integration with any type of access control and ID systems;
- · Low power consumption;
- · Panic / bar drop function with automatic reset;
- · Whisper quiet, low noise operation;
- · Optional indoor or outdoor housing types;
- · Wide range of accessories; Availability of a back-up battery connection;
- · Complete supply set as a standard.





BW-GALAXY-M TRIPOD TURNSTILES



BW-Galaxy-M turnstile combines the functional Twix and stylish Sweeper. Galaxy M turnstile access consists of transparent glass framed by high strength steel. The contemporary design of the cabinet is a stylish addition to the range. While the housing is manufactured from stainless steel, a number of finishes are available, polished, brushed etc. The glass is equipped with LED indicators that change color depending on the entrance mode. On the top of Galaxy M tripod barrier turnstile is a card reader and LED display. Galaxy - M has new mechanism Triservo-M.

Access control system



Push button



Drop-arm



Motorized

Bi-directional







BW-GATE-TS SWING GATES



BW-GATE-TS gates are suitable for all buildings and interiors. **BW-GATE-TS** automatic gate has a motorized drive. Swing gates offer a variety of different dimensions making them a useful solution to provide access control to people with special needs or are disabled. This type of access control equipment can be controlled manually both by push button or interfaced with wide variety of access control systems. Mostly, these solutions are used together with other turnstiles to provide wide lanes of up to 900 mm. The design and operation of these gates enables individuals to pass freely, which is not possible with some other waist height turnstiles.

- · Advantages: Bi-directional;
- High quality at a cost effective price;
- Integration with any type of access control and ID systems;
- · Low power consumption;
- · Whisper quiet, low noise operation;
- · Possibility of gate opener customization;
- · Wide range of accessories;
- · Complete supply set as a standard;
- · Fail safe.





BW-GATE-GS SWING GATES



BW-GATE-GS gates offer single or dual direction control of pedestrian access. The primary purpose of the servo-type swing gate turnstile is a control of pedestrian access for industrial premises, administrative establishments, banks, offices, shops, stations and other sites. Due to its unique shape and variety of models, it can suit any interior. That turnstile range is easy to use, compact in size and feature a blade of glass in the swing gate. When receiving a command to permit passage the drive bar turns 90°, and after passage returns to its original position.

Advantages:

- Bi-directional;
- High quality at a cost effective price;
- Integration with any type of access control and ID systems;
- · Low power consumption;
- · Whisper quiet, low noise operation;
- Possibility of gate opener customization;
- · Wide range of accessories;
- · Complete supply set as a standard;
- Fail safe.



BW-GATE-GS SLIM



BW-Gate-GS Slim gates offer single or dual direction control of pedestrian access. This swing turnstile has ultra thin tube (100 mm) equipped with light indication that glows depending on the passage mode. The primary purpose of the turnstile gate is single or dual direction control of pedestrian access for industrial premises, administrative establishments, banks, offices, shops, stations and other sites. Due to its unique shape and variety of models, it can suit any interior. BW-Gate-GS Slim range is easy to use, compact in size and feature a blade of glass in the swing gate. When receiving a command to permit passage the drive bar turns 90°, and after passage returns to its original position.



BW-SLIDE



BW-Slide speed gate with folding high gates is stylish original solution for your location that guarantees effective protection of the site. Slide speed gate could be easily fitted to any location: office centers, banks, hotels etc. The folding system of Slide gates has a more robust, reliable design compared to existing speed gates on market. The height of the flaps excludes the possibility of unauthorized passage, and also prevents the transfer of any objects.

Key features:

- BMDrive® Reliable mechanism with powerful BLDC gear motor ensures long term maintenance free operation;
- The BMDrive® mechanism controller is equipped with an OLED display for easy setup and configuration without special programmers, also a full configuration and diagnostics is possible via a USB connector by using a service software for Windows OS:
- Digital control of force and leaf speed in combination with safety sensors prevent a passing person from being struck by a leaf, even in case of an unauthorized passage;
- By use of artificial intelligence algorithms and large number of high-precision infrared passage sensors, Slide speed gate detects and sounds the alarm when two people try to pass by one card, pass in the wrong direction and pass without authorization.




BW-JETPAN




BW-Jetpan is ideally suited for areas with unmanned security, as higher wings prevent vaulting over the turnstile. The **BW-Jetpan** is also fitted with optical sensors to prevent tailgating. The contemporary design, appearance and functionality makes the BW-Jetpan suitable for a variety of building entrances, such as **banks**, utility companies and commercial buildings.

- The speed gates have an ultra-modern futuristic design. Our speed gates of this series are ideal for stylish lobby interiors in hotels, banks, office centers, etc;
- BMDrive® Reliable mechanism with powerful BLDC gear motor ensures long term maintenance-free operation;
- Robust PinLock® locking system prevents from full leaves opening manually in case of vandalism;
- The smart self-diagnosing system of mechanism BMDrive® automatically analyzes the system, detects critical malfunctions, and records error log and warnings;
- The BMDrive® mechanism controller is equipped with an OLED display for easy setup and configuration without special programmers, also a full configuration and diagnostics is possible via a USB connector by using a service software for Windows OS.
- Digital control of force and leaf speed in combination with safety sensors prevent a
 passing person from being struck by a leaf, even in case of an unauthorized
 passage;





BW-Arg 40 - 60 - 80 Sensor barriers



Good design can be planned. The new Arg sensor barriers from **BLUE WEST** open the way to more freedom in form, color and function. They combine the options of a modern access system in the supervised entrance area in three models. From short basic versions to exquisite objects with sophisticated sensors, they offer a wide range of functions.


- Variable passage widths of 650 mm, 900 mm, 915 mm or 1,000 mm
- Variable door leaf heights of 990 mm, 1,200 mm, 1,400 mm, 1,600 mm, or 1,800 mm (upper edge)
- User-optimised scanner integration
- · Discreet ambient lighting
- Smart emergency exit and escape route
- Secure separation sensors
- Efficient fixing type













BW-SWEEPERS



Sweeper-S fuses together all advantages of Sweeper model and new engineering solutions. Redesigned housing is huge advantage among other turnstiles in speed gates series. The width of one side housing is just 110 mm makes it the slimmest and the most sophisticated model on the security market.

- The speed gates have an ultra-modern futuristic design. Our speed gates of this series are ideal for stylish lobby interiors in hotels, banks, office centers, etc;
- BMDrive® Reliable mechanism with powerful BLDC gear motor ensures long term maintenance-free operation;
- Robust PinLock® locking system prevents from full leaves opening manually in case of vandalism;
- The smart self-diagnosing system of mechanism BMDrive® automatically analyzes the system, detects critical malfunctions, and records error log and warnings;
- The BMDrive® mechanism controller is equipped with an OLED display for easy setup and configuration without special programmers, also a full configuration and diagnostics is possible via a USB connector by using a service software for Windows OS.
- Digital control of force and leaf speed in combination with safety sensors prevent a
 passing person from being struck by a leaf, even in case of an unauthorized
 passage;



BW-SWEEPER-HG



Tall version of speed gates model intended for applications where a higher degree of security is required. High swing glass leaves available up to 1800 mm from the floor. It helps to avoid transfer of anything above the turnstile, as well as overjumping it. Special design allows to arrange even 900 mm passage which can be used for people with special.





BW-SPEEDBLADE



BW-SPEEDBLADE – is a type of motorized turnstile featured with retractable flaps operation principle. Housing materials and light weight cabinets' shape make BW-Speedblade turnstile universal for large variety of facilities with heightened requirements to esthetic equipment appearance. As well as other **BLUE WEST** BW-speedgates, BW-Speedblade has implemented anti-tailgating function. Turnstiles can be operated from remote control panel or via access control system.



BW-SWEEPER-AL



Based on the BW-Sweeper and BW-Sweeper-HG models, the **BW-Sweeper-AL** is a bespoke system enabling you to order the system you need: two waist-height glass blades or two full-height glass blades or one of each. Also there is plenty of space for additional equipment such as access control systems or identification devices, which can be situated at the start and in the middle of the whole system. Also, additional post or holder for identification devices (IRIS reader, finger-print, face-recognition etc.) can be ordered. It can be single-passage only or multi-passage. Sweeper-AL pedestrian turnstile gate is ideally suited for use at different airports and Banks.

When power goes OFF both directions are free.



PHYSICAL ACCESS
CONTROL SOLUTIONS
(OUTSIDE)





BW-AB30 AUTOMATIC BOLLARDS



BLUE WEST High security automatic bollards are designed to prevent unauthorized vehicles access to secure areas and to provide the highest level of antiterrorism protection. This type of equipment is installed at areas of high risk sites of heavy vehicle attack such as military infrastructures, government institutions, or public places (stadiums, fairgrounds) etc. High security bollards are installed in either single or multiple units with an external hydraulic station and PLC, connected via the hydraulic hoses. A separate push button control unit is supplied for manual control which is usually installed within the security office. This equipment can be easily integrated and interconnected with ACS and other vehicle access control equipment such as arm barriers.



BW-AB50 AUTOMATIC BOLLARDS



BLUE WEST BW-AB50 High security automatic bollards are designed to prevent unauthorized vehicles access to secure areas and to provide the highest level of antiterrorism protection. Generally, this type of equipment is installed at high risk sites where maximum protection to the public and assets are required. Typically, where there could be a high risk of heavy vehicle attack such as public places (stadiums, fairgrounds), government institutions, or military infrastructures etc. These bollards are installed in either single or multiple units with an external hydraulic station and PLC, connected via the hydraulic hoses. A separate push button control unit is supplied for manual control which is usually installed within the security office. Additionally, this equipment can be easily integrated and interconnected with ACS and other vehicle access control equipment (arm barriers etc.).



BW-AB40 SEMI AUTOMATIC BOLLARDS



BLUE WEST BW-AB40 high security fixed and removable bollards are the most cost-effective solution for preventing unauthorized vehicle access. **BLUE WEST** high security bollards correspond to the requirements for antiterrorism protection. Absence of necessity in service maintenance are the main features to be outlined. One of the greatest advantage related to its mobility, when free access is required. Advanced technologies and extensive manufacturing experience ensure that **BLUE WEST** high security fixed/removable bollards are durable easy to install and maintain.





BOOM BARRIER



BLUE WEST automatic Boom Barriers are a fully automated solutions for controlling the access of cars to a protected area. Housing of boom barrier is available in different RAL colors. High speed of operation makes arm barriers providing high territory security. It should be installed nearby exit /entrance gates and operates in complex with a parking system devices to provide high security access.

THANK YOU FOR YOUR ATTENTION

FOR MORE TECHNICAL INFORMATION CONTACT US



Neuer Wall 71 c/o WorkRepublic 20354 Hamburg - Germany +49 (0) 40 9999 9442-9 www.bluewest.de info@bluewest.de



Sale office

Maslak 1453, Ticari T4b blok -7kat Daire 153, Sariyer-Istanbul +90 850 305 930 info@bluewestmiddleeast.com